

### RATCHET RING SPANNER

**INNOVATIVE RATCHET TECHNOLOGY FROM 5.5 MM TO 41.00 MM!** 



### MINI COMBINATION SPANNERS

### GEARplus® COMBINATION RATCHETING SPANNER, STUBBY

- FlankTraction profile
- Hainkiraction promie
  In accordance to DIN 3113 / ISO 3318
  Jaw 15° offset
  Ratchet head offset at 15°
  With reversing lever
  High quality finish
  Chromo vegardium

- Chrome vanadium





	mm	A1 mm	A2 mm	B1 mm	B2 mm	L mm		
503.4631	8	6,5	4,0	16,6	16,7	90,0	€	<b>16,</b> <sup>50</sup>
503.4632	9	6,9	4,4	18,4	18,8	93,0	€	16, <sup>50</sup>
503.4633	10	7,3	4,8	17,0	17,0	90,0	€	16, <sup>50</sup>
503.4634	11	7,7	5,2	21,8	23,0	103,0	€	<b>16,</b> <sup>50</sup>
503.4635	12	8,2	5,5	22,7	25,0	106,0	€	<b>16,</b> <sup>50</sup>
503.4636	13	8,6	5,8	24,7	27,1	108,0	€	18, <sup>50</sup>
503.4637	14	9,0	6,2	27,0	29,2	115,0	€	18, <sup>50</sup>
503.4638	15	9,4	6,5	28,3	31,3	119,0	€	<b>21</b> , <sup>50</sup>
503.4639	16	10,0	6,8	30,0	33,4	123,0	€	<b>21</b> , <sup>50</sup>
503.4640	17	10,3	7,2	31,8	35,5	127,0	€	<b>21</b> , <sup>50</sup>
503.4641	18	10,7	7,7	32,6	37,6	131,0	€	<b>21</b> , <sup>50</sup>
503.4642	19	11,2	8,2	33,8	39,7	139,0	€	<b>21</b> , <sup>50</sup>

#### 503.4652

### GEAR plus® COMBINATION RATCHETING SPANNER SET, STUBBY

- FlankTraction profile
- Hankiraction profile
   In accordance to DIN 3113 / ISO 3318
   Jaw 15° offset
   Ratchet head offset at 15°
   With reversing lever
   High quality finish

- Chrome vanadiumIn durable plastic storage case



8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 -16 - 17 - 18 - 19 mm

#### 503.4653

### GEAR plus® COMBINATION RATCHETING SPANNER SET, STUBBY

- FlankTraction profile
   In accordance to DIN 3113 / ISO 3318
   Jaw 15° offset
   Ratchet head offset at 15°
   With reversing lever
   Secondary to DIN 3120 ISO

- Square drive adaptor to DIN 3120 ISO 1174 with ball lock
   For bits to DIN 3126 / C 6,3
- · High quality finish
- Chrome vanadium
  In durable plastic storage case




8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 -16 - 17 - 18 - 19 mm



### GEAR plus® COMBINATION RATCHETING SPANNER

- FlankTraction profile
  In accordance to DIN 3113 / ISO 3318
  Jaw 15° offset
  Straight form
  Exact gearing with 72 teeth
  High quality finish
  Chrome vanadium











	mm	A1 mm	A2 mm	B1 mm	B2 mm	L mm		
503.42055	5,5	6,3	3,9	14,0	15,0	127,5	€	10,90
503.4206	6	6,3	3,9	14,0	15,0	128,0	€	10,90
503.4207	7	6,5	4,0	16,8	16,7	140,0	€	10,90
503.4208	8	6,5	4,0	16,8	16,7	140,0	€	<b>10,</b> 90
503.4209	9	6,9	4,4	18,8	18,7	149,0	€	10,90
503.4210	10	7,3	4,8	20,8	20,8	158,0	€	10,90
503.4211	11	7,7	5,2	21,8	23,0	165,0	€	10,90
503.4212	12	8,2	5,5	22,8	24,6	171,0	€	11,90
503.4213	13	8,6	5,8	24,8	26,8	178,0	€	11,90
503.4214	14	9,0	6,2	27,8	29,0	190,0	€	16, <sup>50</sup>
503.4215	15	9,4	6,5	28,8	31,0	199,0	€	16, <sup>50</sup>
503.4216	16	9,9	6,8	30,8	33,0	208,0	€	18, <sup>50</sup>
503.4217	17	10,3	7,2	31,8	35,5	225,0	€	18,50
503.4218	18	10,7	7,7	32,8	37,5	236,0	€	18,50
503.4219	19	11,2	8,2	33,8	39,4	247,0	€	18, <sup>50</sup>
503.4221	21	13,0	9,0	40,0	45,8	289,0	€	<b>27</b> , <sup>90</sup>
503.4222	22	13,0	9,0	40,0	45,8	289,0	€	<b>29</b> ,90
503.4224	24	14,5	10,0	46,0	51,8	322,0	€	34,50
503.4227	27	15,5	10,5	52,0	56,4	358,0	€	<b>52</b> , <sup>50</sup>
503.4228	30	17,0	11,4	58,0	62,7	401,0	€	<b>57</b> ,90
503.4229	32	17,5	12,5	62,0	66,4	424,0	€	<b>66</b> , <sup>50</sup>
503.4230	34	17,5	13,0	62,0	70,0	459,0	€	<b>72</b> ,90
503.4252	36	18,0	13,4	66,0	78,0	489,0	€	94,50
503.4253	38	18,0	13,4	66,0	78,0	489,0	€	100,50
503.4248	41	19,5	16,5	71,0	86,0	565,0	€	170,50
						Acres de la constitución de la c		

	•	A1 mm	A2 mm	B1 mm	B2 mm	L mm		
503.4102	5/16"	6,5	4,0	16,8	16,7	140,0	€	<b>10,</b> 90
503.4103	3/8"	7,3	4,8	20,8	20,8	158,0	€	10, <sup>90</sup>
503.4104	7/16"	7,7	5,2	21,8	23,0	165,0	€	11, <sup>90</sup>
503.4105	1/2"	8,6	5,8	24,8	26,8	178,0	€	11, <sup>90</sup>
503.4106	9/16"	9,0	6,2	27,8	29,0	190,0	€	16, <sup>50</sup>
503.4107	5/8"	9,9	6,8	30,8	33,0	208,0	€	18, <sup>50</sup>
503.4108	11/16"	10,3	7,2	31,8	35,5	225,0	€	18, <sup>50</sup>
503.4109	3/4"	11,2	8,2	33,8	39,4	247,0	€	18, <sup>50</sup>



503.4270

503,4250









#### 503.4202

#### GEAR plus® COMBINATION RATCHETING SPANNER SET

- FlankTraction profile
- In accordance to DIN 3113 / ISO 3318
  Jaw 15° offset
- Straight form
- Exact gearing with 72 teeth
  High quality finish
- · Chrome vanadium



**Inches** 



5/16" - 3/8" - 1/2" - 11/16" - <u>3</u>/4"



16

pcs





GEARplus® COMBINATION RATCHETING SPANNER SET

503.4266

Straight form

FlankTraction profile
In accordance to DIN 3113 / ISO 3318
Jaw 15° offset



8 - 10 - 12 - 13 - 17 - 19 mm 1/4" - 3/8" - 1/2" 106,<sup>90</sup>



' x 13 mm

8 - 9 - 10 - 11 - 12 - 13 - 14 -15 - 16 - 17 - 18 - 19 mm

1/4" - 3/8" - 1/2"

1/4" x 10 mm



### GEAR plus® REVERSING COMBINATION RATCHETING SPANNER

- FlankTraction profile
  In accordance to DIN 3113 / ISO 3318
  Jaw 15° offset
  Ratchet head offset at 15°
  Exact gearing with 72 teeth
  With reversing lever
  High quality finish
  Chrome vanadium









	mm	A1 mm	A2 mm	B1 mm	B2 mm	L mm	
503.4606	6	6,3	3,9	14,0	15,0	127,5	€ 16, <sup>50</sup>
503.4607	7	6,5	4,6	16,4	16,2	140,0	€ 16, <sup>50</sup>
503.4608	8	6,5	4,6	16,4	16,2	140,0	€ 16, <sup>50</sup>
503.4609	9	6,9	4,9	18,3	18,2	150,0	€ 16, <sup>50</sup>
503.4610	10	7,3	5,3	20,0	20,5	159,0	€ 18, <sup>50</sup>
503.4611	11	7,7	5,6	21,4	22,6	166,0	€ 18, <sup>50</sup>
503.4612	12	8,2	6,0	22,6	24,6	172,0	€ 18, <sup>50</sup>
503.4613	13	8,6	6,4	24,5	26,7	178,0	€ 18, <sup>50</sup>
503.4614	14	9,0	6,8	27,0	28,8	191,0	€ 21, <sup>50</sup>
503.4615	15	9,4	7,0	28,2	30,8	200,0	€ 21, <sup>50</sup>
503.4616	16	9,9	7,2	30,3	33,2	208,0	€ 21, <sup>50</sup>
503.4617	17	10,3	7,7	31,6	35,1	225,0	€ 21, <sup>50</sup>
503.4618	18	10,7	8,2	32,3	37,2	236,0	€ 24, <sup>90</sup>
503.4619	19	11,2	8,8	33,7	39,3	248,0	€ <b>24</b> , <sup>90</sup>
503.4621	21	13,0	9,0	40,1	46,2	290,0	€ 34, <sup>50</sup>
503.4622	22	13,0	9,0	40,1	46,2	290,0	€ 34,50
503.4624	24	14,5	10,0	46,5	51,5	323,0	€ 39, <sup>50</sup>
503.4627	27	15,5	10,5	52,5	56,5	357,0	€ 66, <sup>50</sup>
503.4628	30	17,0	11,4	58,5	62,7	400,0	€ <b>79</b> , <sup>50</sup>
503.4629	32	17,5	12,5	62,5	66,4	423,0	€ <b>84</b> , <sup>50</sup>
503.4630	34	17,5	13,0	62,5	70,6	460,0	€ 90, <sup>90</sup>
503.4643	36	18,0	13,4	65,8	79,0	488,0	€ 118, <sup>90</sup>
503.4644	38	18,0	13,4	65,8	79,0	488,0	€ 127, <sup>50</sup>
503.4648	41	19,5	16,5	71,0	86,0	565,0	€ 175, <sup>50</sup>

	A.							
		A1 mm	A2 mm	B1 mm	B2 mm	L mm		
503.4681	5/16"	6,5	4,0	16,6	16,7	145,0	€	16, <sup>50</sup>
503.4683	3/8"	7,3	4,8	20,0	20,8	159,0	€	<b>16,</b> <sup>50</sup>
503.4684	7/16"	7,7	5,2	21,8	23,0	165,0	€	18, <sup>50</sup>
503.4685	1/2"	8,6	5,8	24,7	27,1	178,0	€	18, <sup>50</sup>
503.4686	9/16"	9,0	6,5	27,0	29,2	190,0	€	21,50
503.4687	5/8"	9,9	6,8	30,0	33,4	208,0	€	21,50
503.4688	11/16"	10,3	7,2	31,8	35,5	225,0	€	<b>21</b> , <sup>50</sup>
503.4689	3/4"	11,2	8,2	33,8	39,7	248,0	€	<b>24</b> ,90





5

pcs

9

pcs





#### 503.4646

#### GEAR plus® REVERSING COMBINATION RATCHETING SPANNER SET

- FlankTraction profile
- In accordance to DIN 3113 / ISO 3318
  Jaw 15° offset
- · Ratchet head offset at 15°
- Exact gearing with 72 teethWith reversing lever
- · High quality finish
- Chrome vanadium



503.4665

6

pcs

118,<sup>90</sup> <sub>€</sub>

10

#### GEARplus® REVERSING COMBINATION RATCHETING SPANNER SET

- FlankTraction profile
- In accordance to DIN 3113 / ISO 3318
  Jaw 15° offset
- Ratchet head offset at 15°
- Exact gearing with 72 teethWith reversing lever
- High quality finish



8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 -16 - 17 - 18 - 19 mm

**218**,50 <sub>€</sub>

16

**12** 

503.4647

#### GEAR plus® REVERSING COMBINATION RATCHETING SPANNER SET

FlankTraction profile

8 - 10 - 12 - 13 - 17 - 19 mm

- In accordance to DIN 3113 / ISO 3318
  Jaw 15° offset
  Ratchet head offset at 15°

- Exact gearing with 72 teethWith reversing lever
- Square drive adaptor to DIN 3120 / ISO 1174 with ball lock
   For bits to DIN 3126 / C 6,3
- · High quality finish · Chrome vanadium





8 - 10 - 12 - 13 - 17 - 19 mm 1/4" - 3/8" - 1/2"

157,<sup>50</sup>

### 503.4666

### GEARplus® REVERSING COMBINATION RATCHETING SPANNER SET

FlankTraction profile

In accordance to DIN 3113 / ISO 3318
Jaw 15° offset
Ratchet head offset at 15°

- Exact gearing with 72 teethWith reversing lever
- Square drive adaptor to DIN 3120 / ISO 1174 with ball lock
  For bits to DIN 3126 / C 6,3
- High quality finish Chrome vanadium
- In durable plastic storage case





8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 -16 - 17 - 18 - 19 mm 1/4" - 3/8" - 1/2"

**241**,90 <sub>€</sub>



### **GEAR plus** ® **REVERSING COMBINATION RATCHETING SPANNER**

- FlankTraction profile
   In accordance to DIN 3113 / ISO 3318
   Jaw 15° offset
   Ratchet head offset at 15°
   With reversing lever
   Ring stop fuction
   High quality finish
   Chrome vanadium










	mm	A1 mm	A2 mm	B1 mm	B2 mm	L mm		
503.4908	8	6,5	4,6	16,6	16,7	140,0	€	<b>16,</b> <sup>50</sup>
503.4909	9	6,9	4,9	18,4	18,8	150,0	€	<b>16,</b> <sup>50</sup>
503.4910	10	7,3	5,3	20,0	20,8	159,0	€	18, <sup>50</sup>
503.4911	11	7,7	5,6	21,8	23,0	165,0	€	18, <sup>50</sup>
503.4912	12	8,2	6,0	22,7	25,0	172,0	€	18, <sup>50</sup>
503.4913	13	8,6	6,4	24,7	27,1	178,0	€	18, <sup>50</sup>
503.4914	14	9,0	6,8	27,0	29,2	191,0	€	<b>21</b> , <sup>50</sup>
503.4915	15	9,4	7,0	28,3	31,1	200,0	€	<b>21</b> , <sup>50</sup>
503.4916	16	9,9	7,2	30,0	33,4	208,0	€	<b>21</b> , <sup>50</sup>
503.4917	17	10,3	7,7	31,8	35,5	226,0	€	<b>21</b> , <sup>50</sup>
503.4918	18	10,7	8,2	32,6	37,6	237,0	€	24,90
503.4919	19	11,2	8,8	33,8	39,7	248,0	€	24,90







5

### 503.4955

### GEAR plus® REVERSING COMBINATION RATCHETING SPANNER SET

- FlankTraction profile
  In accordance to DIN 3113 / ISO 3318
  Jaw 15° offset
  Ratchet head offset at 15°
  With reversing lever
  High quality finish
  Chrome vanadium
  In durable plastic storage case







15°



**100**,<sup>50</sup> €



### GEAR plus® SOCKET ADAPTER WITH GO THROUGH

- FlankTraction profile
- With go through functionSuitable for ring stop spanners
- High quality finish
- · Chrome vanadium





	mm	B mm	L mm		
503.4978	8	12,0	19,8	€	3,50
503.4979	9	12,0	21,2	€	3,50
503.4980	10	15,0	22,6	€	3,50
503.4981	11	16,2	22,9	€	3,50
503.4982	12	17,4	24,5	€	3,50
503.4983	13	18,7	25,8	€	3,50
503.4984	14	19,9	26,1	€	4,50
503.4985	15	20,8	28,0	€	4,50
503.4986	16	22,6	29,5	€	4,50
503.4987	17	23,7	30,6	€	4,50
503.4988	18	24,5	32,0	€	4,50
503.4989	19	26,1	33,5	€	4,50

### 503.4960

### GEARplus® REVERSING COMBINATION RATCHETING SPANNER SET

- FlankTraction profile
   In accordance to DIN 3113 / ISO 3318
   Jaw 15° offset

- Ratchet head offset at 15°
   With reversing lever
   Versatile sockets with go through function
   Square drive adaptor to DIN 3120 / ISO 1174 with ball lock
   For bits to DIN 3126 / C 6,3

- High quality finish
  Chrome vanadium
  In durable plastic storage case









1/4" x 10 mm





8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 mm 1/4" - 3/8" - 1/2" 1/4" - 5/16" - 10 mm

**168,90** <sub>€</sub>



### DUO GEAR plus® COMBINATION SPANNER SET WITH RATCHET MECHANISM IN **RING AND OPEN JAW**

- Open end side with innovative ratchet mechanism
- FlankTraction profile
   In accordance to DIN 3113 / ISO 3318
   Jaw 15° offset
- Straight form
- Exact gearing with 72 teethHigh quality finishChrome vanadium







	mm	A1 mm	A2 mm	B1 mm	B2 mm	L mm	Nm	O Nm		
503.5208	8	6,5	4,1	16,4	16,2	140,0	15,0	36,0	€	<b>16,</b> <sup>50</sup>
503.5209	9	6,9	4,3	18,3	18,3	150,0	21,1	48,0	€	18, <sup>50</sup>
503.5210	10	7,3	4,8	20,0	20,0	159,0	31,1	85,2	€	18,50
503.5211	11	7,7	5,1	21,4	21,4	166,0	46,1	96,0	€	18,50
503.5212	12	8,2	5,3	22,6	22,6	172,0	49,1	109,2	€	18,50
503.5213	13	8,6	5,9	24,5	24,5	178,0	62,1	138,0	€	<b>21</b> , <sup>50</sup>
503.5214	14	9,0	6,3	27,0	27,0	191,0	86,0	189,6	€	21,50
503.5215	15	9,4	6,6	28,2	28,2	200,0	104,1	240,0	€	21,50
503.5216	16	9,9	6,9	30,3	30,3	208,0	124,1	297,6	€	21,50
503.5217	17	10,3	7,3	31,6	31,6	225,0	139,1	320,4	€	24,90
503.5218	18	10,7	7,8	32,3	32,3	236,0	155,1	364,8	€	24,90
503.5219	19	11,2	8,3	33,7	33,7	248,0	186,1	387,6	€	24,90
503.5221	21	13,0	8,8	40,1	46,2	290,0	248,1	446,4	€	39,50
503.5224	24	14,5	9,8	46,5	51,5	323,0	341,2	610,8	€	46,50
503.5227	27	15,5	10,4	52,9	56,1	352,0	432,0	805,2	€	<b>66</b> , <sup>50</sup>
503.5228	30	17,1	11,2	57,6	62,5	396,0	570,0	954,0	€	<b>79,</b> <sup>50</sup>
503.5229	32	17,6	12,1	61,9	66,2	418,0	650,0	1086,0	€	94,50






# DUO GEAR plus® COMBINATION SPANNER WITH RATCHET MECHANISM IN RING AND OPEN JAW, REVERSIBLE • Open end side with innovative ratchet mechanism • FlankTraction profile • In accordance to DIN 3113 / ISO 3318 • Jaw 15° offset • Ring head 15° offset • With reversing lever • Exact gearing with 72 teeth • High quality finish • Chrome vanadium








	mm	A1 mm	A2 mm	B1 mm	B2 mm	L mm	<b>U</b> Nm	O Nm		
503.5908	8	6,5	4,1	16,4	16,2	140,0	15,0	36,0	€	<b>21</b> , <sup>50</sup>
503.5909	9	6,9	4,3	18,3	18,2	150,0	21,1	48,0	€	<b>21</b> , <sup>50</sup>
503.5910	10	7,3	4,8	20,0	20,5	159,0	31,1	85,2	€	<b>21</b> , <sup>50</sup>
503.5911	11	7,7	5,1	21,4	22,6	166,0	46,1	96,0	€	<b>21</b> , <sup>50</sup>
503.5912	12	8,2	5,3	22,6	24,6	172,0	49,1	109,2	€	<b>21</b> , <sup>50</sup>
503.5913	13	8,6	5,9	24,5	26,7	178,0	62,1	138,0	€	<b>21</b> , <sup>50</sup>
503.5914	14	9,0	6,3	27,0	28,8	191,0	86,0	189,6	€	24,90
503.5915	15	9,4	6,6	28,2	30,8	200,0	104,1	240,0	€	18, <sup>50</sup>
503.5916	16	9,9	6,9	30,3	33,2	208,0	124,1	297,6	€	<b>27</b> , <sup>90</sup>
503.5917	17	10,3	7,3	31,6	35,1	225,0	139,1	320,4	€	<b>27</b> , <sup>90</sup>
503.5918	18	10,7	7,8	32,3	37,2	236,0	155,1	364,8	€	<b>27</b> , <sup>90</sup>
503.5919	19	11,2	8,3	33,7	39,3	248,0	186,1	387,6	€	<b>27</b> , <sup>90</sup>
503.5921	21	13,0	8,8	40,1	46,2	290,0	248,1	446,4	€	<b>42</b> ,90
503.5922	22	13,0	8,8	40,0	46,2	290,0	279,1	489,6	€	<b>42</b> , <sup>90</sup>
503.5924	24	14,5	9,8	46,5	51,5	323,0	341,2	610,8	€	<b>52</b> , <sup>50</sup>
503.5927	27	15,5	10,4	52,9	56,1	352,0	432,0	805,2	€	<b>79</b> , <sup>50</sup>
503.5928	30	17,1	11,2	57,6	62,5	396,0	570,0	954,0	€	90,90
503.5929	32	17,6	12,1	61,9	66,2	418,0	650,0	1086,0	€	106, <sup>90</sup>



## DUO GEAR/MS®







8 - 10 - 11 - 12 - 13 - 14 - 16 - 17 - 18 - 19 mm



### **FLEXIBLE COMBINATION SPANNERS**


E ensymmetric constraints

### GEARplus® FLEXIBLE LOCKING COMBINATION RATCHETING SPANNER

- FlankTraction profile
  In accordance to DIN 3113 / ISO 3318
  Jaw 15° offset
  With flexible locking head
  Exact gearing with 72 teeth
  180° revolving head
  High quality finish
  Chrome vanadium











	mm	A1 mm	A2 mm	B1 mm	B2 mm	L mm		
503.4808	8	6,5	4,3	16,7	16,2	127,0	€	<b>21</b> , <sup>50</sup>
503.4809	9	6,9	4,6	18,6	18,2	131,5	€	<b>21</b> , <sup>50</sup>
503.4810	10	7,3	5,0	20,0	20,3	136,0	€	<b>21</b> , <sup>50</sup>
503.4811	11	7,7	5,4	21,8	22,5	141,0	€	21,50
503.4812	12	8,2	5,8	23,0	24,3	147,5	€	21,50
503.4813	13	8,6	6,1	25,2	26,8	154,0	€	<b>21</b> , <sup>50</sup>
503.4814	14	9,0	6,4	26,8	28,7	160,0	€	24,90
503.4815	15	9,4	6,9	28,3	30,5	169,0	€	<b>24</b> , <sup>90</sup>
503.4816	16	9,9	7,2	29,8	32,9	179,0	€	<b>27</b> , <sup>90</sup>
503.4817	17	10,3	7,6	31,8	34,5	190,0	€	<b>27</b> , <sup>90</sup>
503.4818	18	10,7	8,0	32,8	37,0	203,0	€	<b>29</b> ,90
503.4819	19	11,2	8,6	33,9	39,2	215,0	€	<b>29</b> ,90


















### FLEXIBLE COMBINATION SPANNERS



18

DCS









GEARplus® FLEXIBLE LOCKING COMBINATION RATCHETING

503.4868

**SPANNER SET** 

FlankTraction profile
 In accordance to DIN 3113 / ISO 3318
 Jaw 15° offset
 With flexible locking head

180° revolving head
 Square drive adaptor to DIN 3120 / ISO 1174 with ball lock

Exact gearing with 72 teeth

8 - 10 - 12 - 13 - 17 - 19 mm 1/4" - 5/16" - 10 mm 1/4" - 3/8" - 1/2"

8 - 10 - 12 - 13 - 17 - 19 mm

170,<sup>50</sup>

3/8" x 13 mm

1/4" x 10 mm

5/16" x 13 mm

1/4" x 10 mm





### GEAR plus® DOUBLE RATCHET RING SPANNER

- FlankTraction profile
   In accordance to DIN 3110 / ISO 3318
   Straight form
   Exact gearing with 72 teeth
   Mirror polished
   Chrome vanadium









	mm	A1 mm	A2 mm	B1 mm	B2 mm	L mm		
503.4502	8x9	6,5	6,9	16,8	20,2	128,0	€	18, <sup>50</sup>
503.4511	8x10	7,3	6,5	20,0	17,0	128,0	€	<b>18,</b> <sup>50</sup>
503.4503	10x11	7,3	7,7	20,2	20,2	150,0	€	18, <sup>50</sup>
503.4512	10x13	7,3	8,6	20,2	20,2	150,0	€	<b>18,</b> <sup>50</sup>
503.4504	12x13	8,2	8,6	23,0	23,0	170,0	€	<b>21</b> , <sup>50</sup>
503.4505	14x15	9,0	9,4	26,5	26,5	190,0	€	<b>21</b> , <sup>50</sup>
503.4506	16x18	9,9	10,7	29,5	29,5	210,0	€	24,90
503.4507	17x19	10,3	11,2	31,5	31,5	230,0	€	24,90
		-,-	,-	- 1,-	,-	,.		,

	•	A1 mm	A2 mm	B1 mm	B2 mm	L mm		
503.4402	5/16"x3/8"	6,5	7,3	16,8	20,2	128,0	€	<b>18,</b> <sup>50</sup>
503.4403	7/16"x1/2"	7,7	8,6	23,0	24,8	170,0	€	18,50
503.4404	9/16"x5/8"	9,0	9,9	26,5	29,5	190,0	€	<b>21</b> , <sup>50</sup>
503.4405	11/16"x3/4"	10,3	11,2	31,5	33,5	230,0	€	24,90







1/4" - 3/8" - 1/2"

10x13 - 17x19 mm



### 4 IN 1 GEAR plus® REVERSING DOUBLE RATCHET RING SPANNER

- FlankTraction profile

- Straight form
   Exact gearing with 72 teeth
   Four different sizes on each spanner
- With reversing leverHigh quality finishChrome vanadium









	mm	A1 mm	A2 mm	A3 mm	A4 mm	B1 mm	B2 mm	L mm	
503.4541	8x11-9x10	7,7	7,3	14,6	13,8	21,8	20,0	150,0	€ 21, <sup>50</sup>
503.4656	8x10-12x13	8,6	7,3	16,8	13,8	24,8	16,8	150,0	€ 21, <sup>50</sup>
503.4543	12x15-13x14	9,4	9,0	18,0	17,1	29,5	18,0	190,0	€ 27, <sup>90</sup>
503.4565	10x19-13x17	11,2	9,0	21,9	17,1	33,6	21,9	190,0	€ 19, <sup>90</sup>
503.4546	16x19-17x18	11,2	10,3	21,9	20,2	33,5	21,9	230,0	€ 29, <sup>90</sup>
503.4657	14x17-18x19	11,2	10,3	21,9	19,3	33,5	21,9	230,0	€ 29, <sup>90</sup>
503.4553	21x27-22x24	16,0	13,0	30,0	26,0	52,0	40,0	275,0	€ <b>72</b> , <sup>90</sup>
503.4554	30x36-32x34	18,0	18,0	36,0	35,0	65,0	62,0	360,0	€ 120, <sup>90</sup>



8x10 - 12x13 - 14x17 - 18x19 mm

#### 503.4550

4 IN 1 GEAR plus® REVERSING DOUBLE RATCHET **RING SPANNER** 

- FlankTraction profileStraight form

- Exact gearing with 72 teeth
   Four different sizes on each spanner
   With reversing lever
   High quality finish
- Chrome vanadium





21x27 - 22x24 - 30x36 - 32x34 mm

**200**,<sup>50</sup> €

2





### 918.3072

### 11 MM + 1/4" GO THROUGH REVERSING RATCHET

- · Especially handy and compact
- Rotating assembly
   Very flat design for hard to access places
   Ratchet head offset at 15°
   Exact gearing with 72 teeth
   With reversing lever

- Matt finish
- Chrome vanadium



1/4" + 11 mm

### GEAR plus® REVERSING DOUBLE RATCHET RING SPANNER

- FlankTraction profile
   In accordance to DIN 3110 / ISO 3318
- Ratchet head 15° offset

  Exact gearing with 72 teeth

  With reversing lever

  High quality finish







	mm	A1 mm	A2 mm	B1 mm	B2 mm	L mm		
503.4571	8x9	6,9	6,5	20,2	16,8	128,0	€	<b>21</b> , <sup>50</sup>
503.4572	8x10	7,4	6,7	20,2	16,7	128,0	€	<b>21</b> , <sup>50</sup>
503.4573	10x11	7,7	7,3	21,8	20,2	150,0	€	<b>21</b> , <sup>50</sup>
503.4574	10x13	8,7	7,4	25,4	20,5	150,0	€	21,50
503.4575	12x13	8,6	8,2	24,8	23,0	170,0	€	24,90
503.4576	14x15	9,4	9,0	29,5	26,5	190,0	€	<b>27</b> , <sup>90</sup>
503.4577	16x18	10,7	9,9	33,5	29,5	210,0	€	<b>29</b> ,90
503.4578	17x19	11,2	10,3	33,5	31,5	230,0	€	<b>29</b> ,90

### 503.4580

### GEARplus® DOUBLE REVERSING RATCHET RING SPANNER

- FlankTraction profile
- In accordance to DIN 3110 / ISO 3318
  Ratchet head 15° offset
- Exact gearing with 72 teeth
  With reversing lever
  High quality finish

- Chrome vanadiumSupplied in a leather pouch







6

pcs

8x9 - 10x11 - 12x13 - 14x15 -16x18 - 17x19 mm

**50** 



### RATCHET RING SPANNER, REVERSING

- FlankTraction profile
- Hancordance to DIN 838 / ISO 1085
   Ring head 75° offset
   Reversible
   Exact gearing with 24 teeth
   Matt finish
   Chrome years diverse.

- Chrome vanadium









	mm	A1 mm	A2 mm	B1 mm	B2 mm	L mm		
520.1011	10x11	11,5	11,7	23,3	25,1	210,0	€	<b>39,</b> <sup>50</sup>
520.1214	12x14	12,1	12,4	26,4	30,8	245,0	€	<b>46,</b> <sup>50</sup>
520.1317	13x17	13,2	13,3	31,5	36,3	265,0	€	<b>52,</b> <sup>50</sup>
520.1516	15x16	14,6	14,7	33,1	34,9	260,0	€	<b>52</b> , <sup>50</sup>
520.1922	19x22	16,1	16,2	39,8	43,8	325,0	€	<b>57</b> , <sup>90</sup>
520.2427	24x27	17,7	17,9	47,4	51,6	390,0	€	<b>72,</b> 90
520.3032	30x32	19,7	19,9	55,1	57,1	410,0	€	<b>84,</b> <sup>50</sup>

# 520.1000 5 RATCHET RING SPANNER SET, REVERSING FlankTraction profile In accordance to DIN 838 / ISO 1085 Ring head 75° offset Reversible Exact gearing with 24 teeth Matt finish Chrome vanadium 243 (5°

**266**, <sup>50</sup> <sub>€</sub>

### 520.1100 RATCHET RING SPANNER SET, REVERSING

- FlankTraction profile
   In accordance to DIN 838 / ISO 1085
   Ring head 75° offset
   Reversible
   Exact gearing with 24 teeth
   Matt finish
   Chrome vanadium





10x11 - 12x14 - 13x17 - 15x16 -19x22 - 24x27 - 30x32 mm

405,<sup>50</sup> €

10x11 - 12x14 - 13x17 - 15x16 - 19x22 mm



### GEAR plus® DOUBLE RING RATCHET SPANNER FOR TORX E PROFILE

- Ideally suited for the assembly and disassembly in tight-fitting areas and changing the transmission


- Torx E
   Straight form
   Exact gearing with 72 teeth
   Mirror polished
   Chrome vanadium







		A1 mm	A2 mm	B1 mm	B2 mm	L mm		
503.4351	E6 x E8	6,5	6,9	16,8	20,2	128,0	€	<b>18,</b> <sup>50</sup>
503.4353	E10 x E12	7,3	7,7	20,2	21,8	150,0	€	<b>18,</b> <sup>50</sup>
503.4355	E14 x E18	9,0	9,9	26,5	29,5	190,0	€	<b>21</b> , <sup>50</sup>
503.4357	E20 x E24	10,3	11,2	31,5	33,5	230,0	€	<b>24</b> ,90





### 503.4364

### GEAR plus® DOUBLE RING RATCHETING SPANNER SET FOR TORX E PROFILE

- Ideally suited for the assembly and disassembly in tight-fitting areas and changing the transmission
   Torx E

- Straight form
   Exact gearing with 72 teeth
   Mirror polished
   Charman goodium
- · Chrome vanadium







4

**79,**<sup>50</sup> €



### 503.4645

### GEAR plus® UNIVERSAL DOUBLE RATCHET RING **SPANNER SET**

Ratchet head 15° offset
Exact gearing with 72 teeth
With reversing lever
With through inserts

- Waistband to key insert prevents slipping
  Suitable for narrow spaces
- High quality finish
   Chrome vanadium

723 (5°

• In durable plastic storage case



### 503.4625

### GEARplus® UNIVERSAL DOUBLE RATCHET RING **SPANNER SET**



- Ratchet head 15° offset
  Exact gearing with 72 teeth
- With reversing leverWith through inserts
- Waistband to key insert prevents slipping
   Suitable for narrow spaces

- High quality finishChrome vanadium
- In durable plastic storage case










14 x 19 mm 5/16" - 3/8" - 7/16" - 1/2" - 9/16" - 5/8" - 11/16" **57**,90 <sub>€</sub>

8





### **ACCESSORIES**



#### GEARplus® BIT ADAPTER

- FlankTraction profile (12 point)
- Mirror polished
- · Chrome vanadium





















	mm	0	L mm	B mm		
503.4290	10,0	1/4"	15,7	11,0	€	4,50
503.4292	13,0	5/16"	15,3	15,5	€	<b>6,</b> <sup>50</sup>
503.4293	13,0	10 mm	21,0	21,0	€	<b>6,</b> <sup>50</sup>

#### 503.4294

#### GEARplus® BIT ADAPTER SET

- FlankTraction profile (12 point)Mirror polishedChrome vanadium





10 mm

13 mm x 5/16" - 13 mm x 10 mm

#### GEARplus® SOCKET ADAPTER FOR RING STOP SPANNER

- · With a push button quick release function
- Suitable for ring stop spanners
   Square drive adaptor to DIN 3120 / ISO 1174 with ball lock
   Mirror polished
   Chrome vanadium

1/2"

**50** 

		B mm	L mm
19 mm	1/2"	21,4	28,8



#### **GEAR***plus*® **SOCKET** ADAPTER

- With a push button quick release function
- FlankTraction profile (12 point)
- Square drive adaptor to DIN 3120 / ISO 1174 with ball lock
   Mirror polished

5/16"

· Chrome vanadium







16,<sup>50</sup>







1/2"

	•		L mm	B mm		
503.4296	10 mm	1/4"	16,7	11,1	€	6,5
503.4297	13 mm	3/8"	21,7	14,5	€	6,5
503.4298	19 mm	1/2"	28,8	21,4	€	7,5

#### 503.4286

### GEAR*plus®* SOCKET ADAPTER SET, FOR METRIC SPANNER

- With a push button quick release function
- Suitable for metric GEAR plus® spanners
   Square drive adaptor to DIN 3120 / ISO 1174 with ball lock
- For bits to DIN 3126 / C 6,3
- · Mirror polished

1/4"

10 mm x 1/4"







10

mm



**50** 

#### 503.4287

### GEARplus® SOCKET ADAPTER SET, FOR IMPERIAL SPANNERS

- With a push button quick release function
- Suitable for imperial GEAR plus® spanners
   Square drive adaptor to DIN 3120 / ISO 1174 with ball lock
- For bits to DIN 3126 / C 6,3
  Mirror polished





3/4"

3/8" x 1/4" 1/4" x 3/8" - 3/8" x 1/2" - 1/2" - 3/4" **21**,<sup>50</sup>

4

pcs

4



### **RATCHET WRENCH**



The GEARplus® ring ratcheting spanner offer all the benefits of a ratchet and much more...
The ultra slimline design of the ring sides allows work in very narrow places, even where normal ratchets and sockets can't be used.
Allows very quick loosening or tightening of difficult nuts and bolts.



Further development of the progressive gearing means an increase in the transmission of up to 30% more torque compared to previous ring ratcheting snanners.

The components of the ratchet mechanism are manufactured from special high grade steel. Thereby the GEARplus® reaches and even surpasses the DIN and ANSI torque standards for standard combination spanners.



The especially robust ratchet mechanism with 72 teeth works with a ratcheting angle of only 5° which makes it possible to work in confined spaces.

Standard combination wrenches require a ratcheting angle of at least 30° which means continual re-mounting of the wrench.

This awkward process now belongs to the past.







All GEARplus® ratchet ring spanners are of course fitted with the proven FlankTraction system to optimise the torque transmission.

This enables 100% power transfer to the faces of the nuts or bolts being worked on.

A further multitude of applications are offered by the valued bit and socket adaptors which can be obtained as seperate accessories.







Your Local Distributor



KS Tools Werkzeuge - Maschinen GmbH

Seligenstädter Grund 10 - 12 D-63150 Heusenstamm



Tel.: +49(0) 61 04 49 74-0
Fax: +49(0) 61 04 49 74-11
e-mail: kstools@kstools.de

www.kstools.com

